

mti

BASICS<sup>®</sup>



soakers

air baths

whirlpools

shower bases

walk-in tub

foot spa

kitchen sinks



# MTI BASICS® Tubs

MTI BASICS® tubs are the perfect solution when needs are more simple and desires more modest. This selection includes a variety of tubs in the most popular shapes and sizes, and at a very affordable price.

Production of your tub is quick: drop-in soakers and whirlpools are ready to ship in 5 business days; air baths and freestanding models in 7. And if that's not quick enough for you, MTI's Quick Ship Priority is available at an additional charge to compress the timetable.

And just because the project has a thin budget, it doesn't mean that you have to sacrifice craftsmanship and quality. MTI BASICS tubs are handcrafted, water-tested and quality-inspected.

## Freestanding Models



**MBRFSX6636** 66" x 36" x 23"

Features an extended deck for mounting faucetry.




MBOFS6636 66" x 37" x 22"



MBOFSX6636 66" x 37" x 22"

Features an extended deck for mounting faucetry.



MBCRFS6632 66" x 32" x 20"




MBXFSX6636 66" x 36" x 22"

Features an extended deck for mounting faucetry.



# MTI BASICS® Tubs

## Rectangular Drop-in Models




MBCR6032 60" x 32" x 20"

MBCR6632 66" x 32" x 20"

MBCR6636 66" x 36" x 20"

MBCR7242 72" x 42" x 20"

*Above models can also be undermounted.*




MBRR6030E 60" x 30" x 17"

MBRR6032E 59" x 32" x 19"

MBRR6036E20 60" x 36" x 20"

MBRR6634E 66" x 34" x 20"



MBRR7136E 70.75" x 35.75" x 19"



MBRO6042E

## Rectangular Drop-in Models



MBRO6042E 60" x 42" x 19"  
MBRO7142E 71" x 42" x 19"  
MBRO7236E 72" x 36" x 20"



MBRO6036E 60" x 36" x 19.25"



MBRO7142C 71" x 42" x 19"



MBRX6048E 59" x 48" x 20"



MBRX7248E 71" x 47" x 20"



### Corner Models



MBSC6060 59" x 59" x 19"



MBOC6060 60" x 60" x 21"



MBODI7236

**Oval Drop-In Models**



MBODI6036 60" x 36" x 19"

MBODI7236 73" x 36" x 23"



MBODI7042 69" x 42" x 20"



MBODI6042 60" x 42" x 22"



## Integral-Skirted Models

ALL MODELS WITH REDESIGNED FRONT SKIRTING FOR 2015



MBIS7236 (shown) 72" x 36" x 21"

MBIS7242 72" x 42" x 21"



MBIS6032 (shown) 60" x 32" x 19"

MBIS6042 60" x 42" x 20"



MBIS6030 (shown) 60" x 30" x 19"

MBIS6036 60" x 36" x 20"



MBIS6030

Shown with removable access panel,  
standard for whirlpool and air bath packages.



MBIS6030

Shown with non-removable panel for soakers.

*Note: Front skirt designs shown in above images apply  
to all models listed on this page.*

# MTI BASICS® Tubs

## CONSTRUCTION AND STANDARD FEATURES

### All Baths

- Durable Lucite® high-gloss cross-linked cast acrylic.
- Available in white or biscuit.
- Bath reinforcement consisting of a thick layer of fiberglass / titanium / resin, plus 1/2" metal reinforcement on all sides of rectangular and corner tubs.
- Textured bottom meets ASTM F-462-1994 slip resistance.
- 2-year residential warranty. 1-year commercial warranty.




### Additional For Whirlpools

- Fully-adjustable point-massage jets.
- 1-bhp whisper-quiet pump with silent air volume control.
- Left- or right-hand pump locations available on center drain and corner models.



### Additional For Air Baths

- 3/4 bhp heated blower with automatic purge system that activates 20 minutes after use.
- Twelve low-profile air jets are installed on the tub floor with color-matching air caps.
- Check valves in jets prevent water from entering air lines.
- Pre-leveled foam base.



### Additional For Integral Skirted Tubs

- Leveled Foam Support System for more efficient installation. No need to use additional bedding compound.
- Integral tile flange on 3 sides.
- Left- or right-hand drain configuration (must specify when ordering).
- Front panel is removable for whirlpools and air baths.



### Freestanding Tubs

- Available as a soaker only.
- Can be configured with a Virtual Spout integrated high-flow tub filler.
- Leveled Foam Support System for more efficient installation. No need to use additional bedding compound.
- Access panel included to facilitate drain or Virtual Spout installation. Tub may also be specified without a panel.



access panel



virtual spout

## TUB OPTIONS



### Inline Heater

650-watt heater maintains bath water temperature at 102°. Available for whirlpools, air baths\* & soakers\*. *\*Requires a low-force, recirculating pump for operation.*



### Pre-Leveled Foam Base

High density foam support is standard with air baths and pre-leveled frame systems. *Adds 2"-3" to overall tub height, except for integral skirted models.*



### Tile Flange

Chemically bonded to the tub, which ensures a water-tight seal between the top tub surface & surrounding wall area. *Integral tile flange is also available on most models.*



### Pre-Leveled Frame System

Hardwood constructed frame simplifies the installation process. Includes high-density foam that supports the bottom of the pre-leveled bath.

*Shown with optional skirting.*

Please note: Designer Series tub options do not apply to Basics tubs.

# MTI BASICS® Kitchen Sinks • Shower Bases

MTI BASICS® includes an assortment of kitchen sinks and shower bases. This selection of products can help when the circumstances and applications are value-sensitive. Manufactured in high-quality Lucite® cross-linked cast acrylic, MTI BASICS sinks and shower bases are attractive, scratch- and stain-resistant and easy to clean. You can get the function you need in a form you will like. Products shown include a 1-year residential and commercial warranty and are ready to ship within 3-5 business days.

## Kitchen Sinks

NOTE: sink measurements listed below represent bowl length x width x inside depth.



**MBKS240**

25" x 22" x 9"

shown with embossed apron  
also available with a plain apron



**MBKS250**

33" x 22" x 9"

shown with plain apron  
also available with embossed apron



**MBKS230**

33" x 22" x 8" (L / R)

shown with embossed apron  
also available with plain apron



**MBKS40**

25" x 22" x 9"



**MBKS50**

33" x 22" x 9"



**MBKS30**

33" x 22" x 8" (L / R)



**MBKS80**

33" x 22" x 10" (L / R)



**MBKS10**

33" x 22" x 5" (L) / 10" (R)



**MBKS20**

33" x 22" x 10" (L) / 8" (R)



**MBKS60**

42" x 22" x 10" (L) / 7" (C) / 8" (R)

**Available colors for all sinks:** White, Bone, Biscuit, Black, Sterling Silver

## Shower Bases



### Center Drain

Available Sizes:

MB3636CD 36" x 36" x 5"

MB4236CD 42" x 36" x 5"

MB4832CD 48" x 32" x 5"

MB4836CD 48" x 36" x 5"

MB4842CD 48" x 42" x 5"

MB4848CD 48" x 48" x 4"

MB6048CD 60" x 48" x 5"



### End Drain

Available Sizes:

MB6030ED 60" x 30" x 6"

MB6032ED 60" x 32" x 6"

MB6036ED 60" x 36" x 6"

Please specify left- or right-hand drain location when ordering.

**Available colors for all shower bases:** White, Biscuit

For complete information on all MTI products go to [mtibaths.com](http://mtibaths.com)

# MTI BASICS® Walk-In Tub – Model # MBWI5030 52" x 30" x 38"



There is a large, ever-growing segment of the American population, age 50 and over, who intend to remain in their homes for as long as they possibly can, living comfortably and independently. This phenomenon is known as “aging in place”, and MTI’s extensive product range can fully support this, offering a broad selection of Universal Design bathroom products that can accommodate the needs of all household members with versatility and style.

Over time, however, needs may change and requirements may become more specific, such as those resulting from mobility factors. Should this need arise, MTI’s Walk-In Tub is designed to sensitively accommodate those who are mobility-challenged.

MTI BASICS® Walk-In Tub is fully featured, with a welded steel frame with adjustable leveling “feet” for stability; slip-resistant textured bottom and 2 acrylic grab bars for security; fast drain for convenience; and a light-weight easy-to-latch door for ease of operation. Measuring

52" x 30" x 38", the Walk-In Tub is available with optional acrylic end panels or extension panel to finish-off a full 60" width opening. Of course, you can also do a custom installation such as the one shown above, limited only by your imagination.

The Walk-In Tub can also be ordered with high-quality hot and cold high-flow filler valves with handles and a Virtual Spout high-flow tub filler, eliminating the potential obstacle of a filling spout. Also included with this package is a hand-held shower with diverter. And very importantly, it’s available as a soaker, air bath or whirlpool, with an optional inline heater available for all three.



For increased bather comfort, MTI’s Radiance® tub surface heating system may be added. This unique feature uses radiant heat to warm the seat and backrest of the tub before, during and after the bath.

So if it is a walk-in tub that is needed, MTI goes beyond with the right product and the right features, at the right price. And, MTI BASICS Walk-in Tubs ordered in any configuration are ready to ship within 7 business days.



*Shown as a left-hand drain configuration with valve package and optional extension panel to fit 60" openings.*

*NOTE: Please specify left- or right-hand drain location when ordering.*



*Shown as an air bath with valve package.*

## WALK-IN TUB CONSTRUCTION AND FEATURES

### Soaker

- Fiberglass / titanium / resin with a marine-grade high-gloss gelcoat finish.
- Available colors are white and biscuit.
- Stainless steel structural frame with 6 leveling feet.
- Front removable acrylic panels for equipment access if necessary.
- Left- or right-hand drain location (must specify when ordering).
- Light-weight marine-grade door with easy-to-latch stainless steel hardware.
- 2 acrylic grab bars for security.
- Quick release cable drain included in chrome, plus door safety drain.
- 2-year residential warranty, 1-year commercial warranty.

### Whirlpool - includes all of the soaker features, plus:

- Six fully-adjustable point-massage jets.
- 1-bhp whisper-quiet pump with silent air volume control.

### Air Bath - includes all of the soaker features, plus:

- Twenty low-profile air jets are installed around the side walls of the bathing well with color-matching air caps. Each jet has an independent check valve to prevent water and residue from entering the air lines.
- 3/4-bhp heated blower with automatic purge that dries the air jets 20 minutes after use.

### Combo - includes all of the soaker, whirlpool and air bath features.

**All of the above are available with packages that include either or both of the following:**

### Factory-Installed Valves

- Virtual Spout high-flow tub filler with Breda valve backflow prevention device. Eliminates potential obstacle of a filling spout for mobility-challenged individuals. Available in chrome finish.
- Premium Sigma® Roman tub valves with deck-mounted hand-held shower and diverter valve. Available in chrome finish.

### Radiance®

- Radiance® is a tub surface heating system designed to warm the interior surface of the tub.
- Radiance utilizes electric heating grids for the backrest area and seat of the tub. Grids are integrated in the tub structure.
- Low-voltage design. Uses energy equivalent to a standard light bulb. Designed to remain on at all times to ensure a warm surface during entry and throughout the bathing process.

## WALK-IN TUB OPTIONS

- Inline heater
- Tile flange
- Acrylic end panel
- Extension panel to accommodate a 60" opening

## MTI BASICS® Foot Spa - Model # MBFS1 28" x 23" x 13" / 11"

The MTI BASICS® Foot Spa provides the therapeutic benefits of a warm foot bath combined with a relaxing foot massage. The foot spa features directional high-flow whirlpool jets that can be adjusted to specific areas of the feet. Its ergonomically sloped floor positions the feet in a relaxed posture, and a raised stretch bar in the floor allows the user to exercise the arch and plantar (sole) areas of the feet.

MTI BASICS Foot Spa is ready to ship within 5 business days.

### CONSTRUCTION AND STANDARD FEATURES

- Durable Lucite® cast acrylic shell is extremely scratch- and stain-resistant, yet renewable because the color goes all the way through the material.
- Available colors are white and biscuit.
- Non-porous surface makes cleaning easier.
- Reinforcement consisting of multi-layered backing of thick fiberglass / resin / titanium.
- 4 multi-directional point-massage jets with a 1-bhp pump.
- On / off control and silent air volume control.
- 1-year residential warranty. Warranty not valid for commercial use.



Inside view of tub.





QUALITY AFFORDABLY PRICED

800.783.8827  
mtibaths.com

Made in Sugar Hill, Georgia

